

# MSE250 – Pre-Exam 2 Discussion Review

10 November, 2011

Before we begin, have the following on the table:

- Homework 7
- Homework 8
- Discussion handout: "Phase Transformations in the Fe-Fe<sub>3</sub>C System"

## Ceramics

Formula units?


Ex. For AX<sub>2</sub>, how many sets of "one A and 2 X's" are in a unit cell?

- do not count whole atoms, but only parts of atoms that lie within the unit cell

Ex. SiC (AX type, tetragonal bonding, zincblende crystal structure)

# of Si:                      # of C:

# of formula units:



Homework 8:

- "physical properties [of amorphous materials] above and below T<sub>g</sub>": address viscosity, phase, volume change
- The critical viscosity,  $\eta > 10$  Pa·s, only applies in the special/weird case when you are given for materials

Silicate, silica, silicon, silicone

Silicate: class of materials with building block of SiO<sub>4</sub><sup>-</sup>

Silica: a simple type of silicate


Silicon: the element

Silicone: a rubbery polymer

Usage of the word "glass": glass = an amorphous solid

glass = silicon dioxide (silica, SiO<sub>2</sub>)


Figure 12.9 A silicon-oxygen (SiO<sub>4</sub><sup>-</sup>) tetrahedron.



Stress-induced phase transformation

Variation in strengths in ceramics is due to

Why 4-point bend instead of 3-point bending test?



**\*Why are ceramics brittle?**

Brittleness is

For ionic ceramics,

For covalent ceramics,

Why do ceramics have lower coefficient of friction than metals?

What region of a material would be most susceptible to fatigue failure? Why?

What is the principle behind fatigue strengthening processes? Why is shot peening only used in ductile materials?

adsorption vs absorption [adsorb vs absorb] – ionic ceramics adsorb molecules to maintain neutrality

# Phases

Homework 7 common mistakes:

- TTT diagrams for non-eutectoid compositions
- practical compositions and heating temperatures for precipitation hardening
- log scale
- reading property-wt.%(composition) graphs

Phase, microstructure, or both?
Bainite (B)
$\alpha$ (ferrite)
$\gamma$ (austenite)
Proeutectoid
$Fe_3C$ (cementite)
Pearlite (P)
Martensite (M)
Tempered martensite
Spheroidite

Compare precipitation hardening to steel tempering

	Synthesis steps/physics	Structure @ each step	Properties @ each step
Precipitation hardening	• • • • •	• • • • •	• • • • •
Steel tempering	• • • • •	• • • • •	• • • • •




Strength of bainite vs. other steels

Diffusionless phase transformations:

Lowest melting point of steel is C @ the .

## Practical temperature/composition choices for precipitation hardening

Phase diagrams obtained from <http://www.doitpoms.ac.uk/miclib/>




# Failure

Not much covered on this exam, just qualitative (the overview contains the questions you'll be asked)

Distinction between  $K$  and  $K_c$ ,  $K_{Ic}$

Property	Ceramic vs. Metal vs. Polymer vs. Composite
Yield strength	
Fracture strength	
Hardness	
Wear resistance	
Stiffness (elastic modulus E)	
Toughness ( $K_{Ic}$ )	
Ductility	
Modulus of resilience	
Electrical resistance	
Thermal conductivity	
Thermal expansion	
Melting point	
Coeff. of friction	
Reactivity	

Ceramics: ↑ porosity ⇒ stiffness, strength, heat conduction  
 For most materials: ↑ viscosity as T  
 For motor oil, epoxies, dissolved corn starch: ↑ viscosity as T




# of single phases =  
 Label all the regions  
 # of invariant points =  
 Lowest melting T =

Approximate @20% Hf:

- [phase amount] Largest possible amount of precipitate =
- [phase composition] What T the V phase is made up of 90% V:
- [microst. amount] of eutectic just below 1520C =

Microstructure @

30% V, 1400C



30% Hf, 1400C

